




All-rubber installation junction boxes

The electrical supply can be adapted to your work needs.

The GIFAS team advises, plans, produces, tests and delivers on time:

- Socket units
- Contactor units
- Control units
- Lockable units

All-rubber installation junction box


Model 1800

“Schuko, FI, LS”
 Explanations see page 1/0



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
	3/Schuko 16A 230V	unfused	1/M20	25473	183.1M20
	2/Schuko 16A 230V	unfused	1/M20	25675	182.1M20
	2/CEE 3x16A 230V	unfused	1/M20	28363 61249	1800.2CEE.1M20.QUER 1800.2CEE.1M20.HOCH
	2/CEE 2x16A 24V	unfused	1/M20	47610	1800.2x241629.1M20
	2/CEE 2x16A 42V	unfused	1/M20	47606	1800.2x421629.1M20
	2/Schuko 16A 230V 1/CEE 3x16A 230V	unfused	1/M20	37825	182.1CEE.1M20


Design together with our engineers the optimum solution for your special requirements.




All-rubber installation junction boxes

Model 2500, 2600, 2700



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
 	1/CEE 5x16A 400V 2/Schuko 16A 230V	unfused	1/M20	25231	2516582.1M20
	4/Schuko 16A 230V	unfused	1/M20	25483	254.M20.4ÖSEN
	2/Schuko 16A 230V	unfused	1/M20	25232	272.1M20
	2/Schuko 16A 230V	1/LS 1pole 16A	1/M20	25477	2792.1M20.
	2/Schuko 16A 230V	1/FI 25/0,03/2poles	1/M20	25519	2727.1M20.

Design together with our engineers the optimum solution for your special requirements.



All-rubber installation junction box


Model 7200

“Schuko, FI, LS”
 Explanations see page 1/0



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
 	1/CEE 5x16A 400V 2/Schuko 16A 230V	1/LS 3poles 16A 2/LS 1pole 16A	1/M25	60750	72192.1M25.
 	1/CEE 5x16A 400V 2/Schuko 16A 230V	unfused unfused 1/FI 40/0,03/4poles	1/M25	77485	721.27.0,03.40.1M25.
 	1/CEE 5x32A 400V 2/Schuko 16A 230V	unfused 2/LS 1pole 16A 1/FI 40/0,03/4poles	1/M25	47608	723.927.0,03.40.HF.1M25.
   	4/Schuko 16A 230V	2/LS 1pole 16A 1/FI 40/0,03/4poles	1/M20	64910	7294G7.30MA.1M20.
 	2/CEE 3x16A 230V	2/LS 1pole 16A 1/FI 40/0,03/4poles	1/M20	77487	7292CEE7.0,03.40.1M20.


Design together with our engineers the optimum solution for your special requirements.





Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
 	1/CEE 5x16A 400V 2/Schuko 16A 230V	unfused	1/M20	46499	7250.1.2.EKL.1M20
 	1/CEE 5x32A 400V 2/Schuko 16A 230V	unfused	1/M25 1/M20	47615	7250.3.2.EKL.1M20.1M25
 	2/CEE 5x16A 400V	unfused	1/M25	47313	7250.11.EKL.1M25
 	1/CEE 5x32A 400V 1/CEE 5x16A 400V	unfused	1/M25 1/M20	47239	7250.31.EKL.1M20.1M25
  	1/CEE 5x16A 400V 1/Schuko 16A 230V 1/Interrupter	unfused	1/M25 1/M20	47611	7250.1.1.1KN.A200.1M20.1M25
   	2/CEE 3x16A 230V 2/Schuko 16A 230V	unfused	1/M20 1/M20	47612	7250.2CEE.2.EKL.2M20
  	2/CEE 2x16A 24V (24V separated from 230V partition) 1/Schuko 16A 230V	unfused	1/M20 1/M20	47613	7250.309.2x241629.2M20

Design together with our engineers the optimum solution for your special requirements.



All-rubber installation junction box


Model 7300

“Schuko, FI, LS”
 Explanations see page 1/0



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
 	1/CEE 5x16A 400V 2/Schuko 16A 230V	1/LS 3poles 16A 2/LS 1pole 16A 1/FI 40/0,03/4pol.therm	1/M25	46111	731927.0,03.XF.1M25
 	1/CEE 5x32A 400V 2/Schuko 16A 230V	1/LS 3poles 32A 2/LS 1pole 16A 1/FI 40/0,03/4pol.therm	1/M32	47618	733927.0,03.40.XF.1M32
	1/CEE 5x63A 400V	1/LS 3poles 63A	1/M40	47619	7369.1M40.
 	2/CEE 5x16A 400V 3/Schuko 16A 230V	2/LS 3poles 16A 3/LS 1pole 16A	1/M32	46691	731193.1M32.
 	1/CEE 5x32A 400V 2/CEE 3x16A 230V	1/LS 3poles 32A 2/LS 1pole 16A 1FI 100/0,03/4poles	1/M32	47620	73392CEE7.0,03.100.1M32


Design together with our engineers the optimum solution for your special requirements.





Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
	3/CEE 5x16A 400V 2/Schuko 16A 230V	unfused	1/M25 1/M20	47622	7350.111.2.EKL.1M20.1M25
	1/CEE 5x32A 400V 1/CEE 5x16A 400V 2/Schuko 16A 230V	unfused	1/M25 1/M25 1/M20	47163	7350.31.2.EKL.1M20.2M25
	2/CEE 5x32A 400V 2/Schuko 16A 230V	unfused	2/M25 1/M20	46925	7350.33.2.EKL.1M20.2M25
	1/CEE 5x32A 400V 5/CEE 3x16A 230V	unfused	1/M32 1/M20	47624	7350.3.5CEE.SAK.1M20.1M32
	1/CEE 5x63A 400V 1/CEE 5x16A 400V	unfused	1/M32 1/M20	47625	7350.61.EKL.1M20.1M32

Design together with our engineers the optimum solution for your special requirements.



All-rubber installation junction box


Model 7400

"Schuko, FI, LS"
Explanations see page 1/0



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
	2/CEE 5x16A 400V 3/Schuko 16A 230V	2/LS 3pol. 16A 3/LS 1pol. 16A 1/FI 40/0,03/4P.therm	1/M32	70121	7411937.0,03.40.XF.1M32.
	1/CEE 5x32A 400V 1/CEE 5x16A 400V 3/Schuko 16A 230V	1/LS 3pol. 32A 1/LS 3pol. 16A 3/LS 1pol. 16A 1/FI 63/0,03/4P.therm	1/M32	53792	7431937.0,03.63.HF.1M32.
	2/CEE 5x32A 400V 3/Schuko 16A 230V	2/LS 3pol. 32A 3/LS 1pol. 16A 1/FI 63/0,03/4P.therm	1/M32	62764	7433937.0,03.63.HF.1M32.
	1/CEE 5x63A 400V 1/CEE 5x32A 400V 1/CEE 5x16A 400V 2/Schuko 16A 230V	unfused 1/LS 3pol. 32A 1/LS 3pol. 16A 2/LS 1pol. 16A 1/FI 63/0,03/4P.therm	1/M40	69791	746.31927.0,03.63.HF.HKL.1M40.
	2/CEE 5x16A 400V 2/CEE 3x16A 230V	2/LS 3pol. 16A 2/LS 1pol. 16A 1/FI 40/0,03/4P.therm	1/M32	47633	741192CEE7.0,03.40.XF.M32.

Design together with our engineers the optimum solution for your special requirements.




All-rubber installation junction box

Model 7450



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
     	1/CEE 5x32A 400V 1/CEE 5x16A 400V 4/Schuko 16A 230V	unfused	1/M25 1/M20 1/M20	45372	7450.31.4.EKL.2M20.1M25
    	1/CEE 5x32A 400V 1/CEE 5x16A 400V 3/CEE 3x16A 230V	unfused	1/M25 1/M20 1/M20	47639	7450.31.3CEE.EKL.2M20.1M25
      	1/CEE 5x63A 400V 1/CEE 5x32A 400V 2/CEE 5x16A 400V 3/Schuko 16A 230V	unfused	1/M32 1/M25 1/M20 1/M20	47637	7450.6311.3.2M20.1M25.1M32
        	9/Schuko 16A 230V	unfused	2/M25	47640	7450.9.SAK.2M25

Design together with our engineers the optimum solution for your special requirements.








All-rubber installation junction box


Model 7700

"Schuko, FI, LS"
Explanations see page 1/0



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
	1/CEE 5x32A 400V 1/CEE 5x16A 400V 3/Schuko 16A 230V (24V separated from 230V partition) 1/Trafo 120VA 230/24V 2/CEE 2x16A 24V	1/LS 3pol. 32A 1/LS 3pol. 16A 3/LS 1pol. 16A 1/FI 100/0,03/4P 1/LS 1pol. 2A 1/ETA 5A	1/M32	60668	7731937.0,03.100.912022.ETA.
	1/CEE 5x63A 400V 1/CEE 5x32A 400V 1/CEE 5x16A 400V 3/Schuko 16A 230V	1/LS 3pol. 63A 1/LS 3pol. 32A 1/LS 3pol. 16A 3/LS 1pol. 16A 1/FI 100/0,03/4P	1/M32	60669	7769.31937.0,03.100.HKL.1M32.
	1/CEE 5x63A 400V 2/CEE 5x32A 400V 4/Schuko 16A 230V	1/LS 3pol. 63A 2/LS 3pol. 32A 2/LS 1pol. 16A 1/FI 100/0,03/4P	1/M32	60673	7763394G7.0,03.100.1M32.
	1/CEE 5x63A 400V 1/CEE 5x32A 400V 1/CEE 5x16A 400V 3/Schuko 16A 230V	1/LS 3pol. 63A 1/LS 3pol. 32A 1/LS 3pol. 16A 3/LS 1pol. 16A 1/FI 100/0,03/4P	2/M40	66942	77631937.0,03.100.HKL.16.2M40.
	4/CEE 5x16A 400V 2/Schuko 16A 230V	4/LS 3pol. 16A 1/LS 1pol. 16A 1/FI 100/0,03/4P	1/M40	60671	77111192G7.0,03.100.1M40.

Design together with our engineers the optimum solution for your special requirements.




All-rubber installation junction box

Model 7750



Some possible solutions		Fusing	Feeding	EDP-No.	Product-ID-No.
	1/CEE 5x63A 400V 2/CEE 5x32A 400V 3/CEE 5x16A 400V 4/Schuko 16A 230V	unfused	1/M32 2/M25 1/M20 1/M20	60665	7750.633111.4.2M20.2M25.M32
	5/CEE 5x16A 400V 5/Schuko 16A 230V	unfused	1/M25 1/M25	60666	7750.111111.5.SAK4.2M25
	1/CEE 5x32A 400V 2/CEE 5x16A 400V 4/Schuko 16A 230V 4/KN-Switch A200	unfused	1/M25 2/M20 1/M20 4/M20	60667	7750.311.4.4KN.A200.7M20.M25
	2/CEE 3x16A 230V 1/Telephone socket 2/Sockets for antenna	2/LS 1pole 10A 2/FI 2poles 25A 0,03A		60688	7750.92CEE77.30MA.10A.TEL.TV

Design together with our engineers the optimum solution for your special requirements.




Model 3800, 3900




The diagram illustrates the internal layout of the GIFA5-ELECTRIC control panel. It features a central terminal block with four terminals, each labeled with a number (1, 2, 3, 4). Below the terminal block are two rows of three push-buttons each, labeled 'G1', 'G2', 'G3' and 'G4', 'G5', 'G6'. The panel is mounted on a white base plate with four mounting holes. Red and blue mounting brackets are shown on the left and right sides, respectively, and a red and blue mounting bracket are shown at the bottom. The panel is labeled 'GIFA5-ELECTRIC' at the top and bottom.

Drawing-No.: 9613569



Drawing-No.: 9613688




Model	3800	3900
Fitting depth (E)	110	150
Height (H)	133	173


2/11

All-rubber installation junction box


Model 3800, 3900




EDP-No.: 39502
 Drawing-No.: 9513124



EDP-No.: 44661
 Drawing-No.: 9613700



EDP-No.: 49138
 Drawing-No.: 9714455



EDP-No.: 46320
 Drawing-No.: 9613828


If you wish we equip all installation junction boxes according to your requirements. Individually, flexible and fast.

All-rubber installation junction box


Model 7800, 7900, plain cover





Some possible solutions



EDP-No.: 40571
 Drawing-No.: 9512627



EDP-No.: 43699
 Drawing-No.: 9613267




Model	7800	7900
Fitting depth (E)	110	150
Height (H)	133	173


Design together with our engineers the optimum solution for your special requirements.

All-rubber installation junction box


Model 7800, 7900, plain cover




EDP-No.: 45816
Drawing-No.: 9613918



EDP-No.: 47319
Drawing-No.: 9714025



EDP-No.: 42315
Drawing-No.: 9513051



EDP-No.: 42560
Drawing-No.: 9513092


If you wish we equip all installation junction boxes according to your requirements. Individually, flexible and fast.

All-rubber installation junction box


Model 7800, 7900, 1 Macrolon




Some possible solutions




EDP-No.: 39614
Drawing-No.: 9412388



EDP-No.: 47834
Drawing-No.: 9714151



front view




sectional view A-A

Model	7800	7900
Fitting depth (E)	110	150
Height (H)	133	173


Design together with our engineers the optimum solution for your special requirements.

All-rubber installation junction box


Model 7800, 7900, 1 Macrolon




EDP-No.: 41653
Drawing-No.: 9512915



EDP-No.: 49147
Drawing-No.: 9714454



EDP-No.: 40822
Drawing-No.: 9512710



EDP-No.: 41510
Drawing-No.: 9512861

If you wish we equip all installation junction boxes according to your requirements. Individually, flexible and fast.


All-rubber installation junction box

Model 7800, 7900, 2 MacroLon




EDP-No.: 65611


Some possible solutions




EDP-No.: 49146
Drawing-No.: 9714452



EDP-No.: 49144
Drawing-No.: 9714453



front view




sectional view A-A

Model	7800	7900
Fitting depth (E)	110	150
Height (H)	133	173


Design together with our engineers the optimum solution for your special requirements.

All-rubber installation junction box


Model 7800, 7900, 2 Macrolon




EDP-No.: 48422
 Drawing-No.: 9714324



EDP-No.: 48144
 Drawing-No.: 9714269



EDP-No.: 49139
 Drawing-No.: 9714456



EDP-No.: 46169
 Drawing-No.: 9613824


All-rubber installation junction box

Model 7800, 7900, door




EDP-No.: 48442


Some possible solutions




EDP-No.: 46235
Drawing-No.: 9613812
with column



EDP-No.: 77490
Drawing-No.: 0520950



front view




sectional view A-A

Model	7800	7900
Fitting depth (E)	110	150
Height (H)	133	173


Design together with our engineers the optimum solution for your special requirements.

All-rubber installation junction box


Model 7800, 7900, door




EDP-No.: 77491
Drawing-No.: 0520951



EDP-No.: 77492
Drawing-No.: 0520952



EDP-No.: 45030
Drawing-No.: 9613604



EDP-No.: 77493
Drawing-No.: 0520953


If you wish we equip all installation junction boxes according to your requirements. Individually, flexible and fast.

All-rubber installation junction box


Various combination possibilities (modular system)



EDP-No.: 82242
 Drawing-No.: 0722656



EDP-No.: 77332
 Drawing-No.: 0520889



EDP-No.: 46298
 Drawing-No.: 9613825